



| Article | Locking | Wire Ø | | | DBS | Ø Pin | Z | X | L1 | Y | Weight | Break load |
|----------|---------|--------|-------|----------|------|-------|------|------|----|---|--------|------------|
| | | mm | inch | Dye | | | | | | | | |
| 250025G | G-ring | 2.5 | 3/32" | - | 6.35 | 5.0 | 11.5 | 7.0 | | | 0.023 | 1284 |
| 250025s | Split | 2.5 | 3/32" | - | 6.35 | 5.0 | 11.5 | 7.0 | | | 0.023 | 1284 |
| 250053G | G-ring | 3 | 1/8" | 3 | 6.35 | 5.0 | 11.5 | 7.0 | | | 0.023 | 1089 |
| 250053s | Split | 3 | 1/8" | 3 | 6.35 | 5.0 | 11.5 | 7.0 | | | 0.023 | 1089 |
| 250003G | G-ring | 3 | 1/8" | 3 | 6.35 | 6.3 | 13.0 | 7.0 | | | 0.028 | 1089 |
| 250003s | Split | 3 | 1/8" | 3 | 6.35 | 6.3 | 13.0 | 7.0 | | | 0.028 | 1089 |
| 250054G | G-ring | 4 | 5/32" | - | 7.5 | 5.0 | 11.5 | 7.0 | | | 0.025 | 1437 |
| 250054s | Split | 4 | 5/32" | - | 7.5 | 5.0 | 11.5 | 7.0 | | | 0.025 | 1437 |
| 250064G | G-ring | 4 | 5/32" | - | 7.5 | 6.3 | 13.0 | 7.0 | | | 0.032 | 1437 |
| 250064s | Split | 4 | 5/32" | - | 7.5 | 6.3 | 13.0 | 7.0 | | | 0.032 | 1437 |
| 250004G | G-ring | 4 | 5/32" | - | 7.5 | 8.0 | 17.0 | 8.0 | | | 0.050 | 1437 |
| 250004s | Split | 4 | 5/32" | - | 7.5 | 8.0 | 17.0 | 8.0 | | | 0.050 | 1437 |
| WDF4095G | G-ring | - | - | 4; 5/32" | 9.11 | 9.5 | 19.0 | 10.0 | | | - | - |
| WDF4095s | Split | - | - | 4; 5/32" | 9.11 | 9.5 | 19.0 | 10.0 | | | - | - |
| 250085G | G-ring | 5 | 3/16" | - | 9.11 | 8.0 | 17.0 | 8.0 | | | 0.058 | 2147 |

| | | | | | | | | | | | | |
|-------------|--------|------|-------|----------|-------|------|------|------|--|--|-------|-------|
| 250085s | Split | 5 | 3/16" | - | 9.11 | 8.0 | 17.0 | 8.0 | | | 0.058 | 2147 |
| 250005G | G-ring | 5 | 3/16" | - | 9.11 | 9.5 | 19.0 | 10.0 | | | 0.076 | 2147 |
| 250005s | Split | 5 | 3/16" | - | 9.11 | 9.5 | 19.0 | 10.0 | | | 0.076 | 2147 |
| WDF5011G | G-ring | - | - | 5; 3/16" | 10.85 | 11.0 | 24.0 | 12.0 | | | - | - |
| WDF5011s | Split | - | - | 5; 3/16" | 10.85 | 11.0 | 24.0 | 12.0 | | | - | - |
| 450732G | G-ring | 5.6 | 7/32" | - | 10.85 | 11.0 | 24.0 | 12.0 | | | 0.108 | 3117 |
| 450732s | Split | 5.6 | 7/32" | - | 10.85 | 11.0 | 24.0 | 12.0 | | | 0.108 | 3117 |
| 251006G | G-ring | 6 | - | 6 | 12.55 | 9.5 | 19.0 | 10.0 | | | 0.116 | 4494 |
| 251006s | Split | 6 | - | 6 | 12.55 | 9.5 | 19.0 | 10.0 | | | 0.116 | 4494 |
| 251106G | G-ring | 6 | - | 6 | 12.55 | 11.0 | 24.0 | 12.0 | | | 0.150 | 4494 |
| 251106s | Split | 6 | - | 6 | 12.55 | 11.0 | 24.0 | 12.0 | | | 0.150 | 4494 |
| 250006G | G-ring | 6 | - | 6 | 12.55 | 12.7 | 25.0 | 14.5 | | | 0.176 | 4494 |
| 250006s | Split | 6 | - | 6 | 12.55 | 12.7 | 25.0 | 14.5 | | | 0.176 | 4494 |
| 450014G | G-ring | 6.4 | 1/4" | 1/4" | 12.55 | 12.7 | 25.0 | 14.5 | | | 0.180 | 4332 |
| 450014s | Split | 6.4 | 1/4" | 1/4" | 12.55 | 12.7 | 25.0 | 14.5 | | | 0.180 | 4332 |
| 250007G | G-ring | 7 | 9/32" | 7 | 14.3 | 12.7 | 25.0 | 14.5 | | | 0.193 | 5736 |
| 250007s | Split | 7 | 9/32" | 7 | 14.3 | 12.7 | 25.0 | 14.5 | | | 0.193 | 5736 |
| 251108G | G-ring | 8 | 5/16" | - | 16.13 | 11.0 | 24.0 | 12.0 | | | - | 7138 |
| 251108s | Split | 8 | 5/16" | - | 16.13 | 11.0 | 24.0 | 12.0 | | | - | 7138 |
| 2512708G | G-ring | 8 | 5/16" | - | 16.13 | 12.7 | 25.0 | 14.5 | | | - | 7138 |
| 2512708s | Split | 8 | 5/16" | - | 16.13 | 12.7 | 25.0 | 14.5 | | | - | 7138 |
| 251308G | G-ring | 8 | 5/16" | 8 | 16.13 | 12.7 | 32.5 | 17.0 | | | 0.243 | 7138 |
| 251308s | Split | 8 | 5/16" | 8 | 16.13 | 12.7 | 32.5 | 17.0 | | | 0.243 | 7138 |
| 250008s | Split | 8 | 5/16" | 8 | 16.13 | 16.0 | 35.0 | 17.0 | | | 0.344 | 7138 |
| 450038s | Split | 9.5 | 3/8" | - | 17.86 | 16.0 | 40.0 | 20.0 | | | 0.453 | 8245 |
| 251610s | Split | 10 | - | - | 17.86 | 16.0 | 40.0 | 20.0 | | | 0.514 | 7847 |
| 250010s | Split | 10 | - | - | 17.86 | 19.0 | 45.0 | 20.0 | | | 0.638 | 7847 |
| WDF1019s | Split | - | - | 10 | 19.83 | 19.0 | 45.0 | 20.0 | | | - | - |
| 450716s | Split | 11.1 | 7/16" | - | 19.83 | 19.0 | 45.0 | 20.0 | | | 0.670 | 9381 |
| 251912s | Split | 12 | - | - | 20.0 | 19.0 | 45.0 | 20.0 | | | 0.715 | 11006 |
| WF190120HDs | Split | 12 | - | - | 21.44 | 19.0 | 45.0 | 20.0 | | | 0.660 | 13217 |

| | | | | | | | | | | | | |
|-----------|-------|------|--------|------|-------|------|------|------|--|--|-------|-------|
| 250012s | Split | 12 | - | - | 20.0 | 22.0 | 54.0 | 24.0 | | | 0.950 | 11006 |
| WDF12722s | Split | 12.7 | - | 1/2" | 21.44 | 22.0 | 54.0 | 24.0 | | | - | - |
| 250014s | Split | 14 | 9/16" | - | 25.0 | 22.0 | 54.0 | 24.0 | | | 1.213 | 16550 |
| 250016s | Split | 16 | 5/8" | - | 28.17 | 25.0 | 66.0 | 26.0 | | | 1.878 | 17429 |
| 250019s | Split | 19 | 3/4" | - | 34.5 | 28.0 | 75.0 | 28.0 | | | 2.896 | 26996 |
| 250020s | Split | 20 | - | - | 34.5 | 28.0 | 75.0 | 28.0 | | | - | 25496 |
| 250028s | Split | 28 | 1_1/8" | - | 50.7 | 35.0 | 80.0 | 38.0 | | | - | 52106 |